66 A BEST IN CLASS, INNOVATIVE, PRICE COMPETITIVE AND HIGH QUALITY PERFORMING ENGINEERING ENTERPRISE.

PLOT NO. 22, MAA KALKA MARG, GURUKUL INDUSTRIAL AREA, SECTOR 38, FARIDABAD Ph.: +91 9891345001;8851349219 Mail: <u>info.controls@buchiya.com</u> Visit us at: www.buchiya.com




BASIC OIL SYSTEMS




✤ KHOBI HEP











Buchiya Serves need of all type of industries



Buchiya Serves need of all type of industries



Buchiya Serves need of all type of industries

✤ NAM KUM 4 (2 X 27 MW), VIETNAM Sr.No. ltem Details TANK CAPACITY 1500 Ltrs. 3 5 6 8 1 2 7 DIMESNIONS 2125 X 1400 mm 2 1400 -TOP VIEW N1 LADDER (LOOSE) COMMON FOR ALL 3 TANKS. N4 15 N10 (1.5) (N1) R CLEAN/OPERATION OIL TANK (2000L.) (N3/N5)-25 N6 1.4 N5 SERIAL No. ITEM OIL STORAGE TANK BILL OF MATERIAL SPECIFICATIONS MOC STECHCATIONS HEIGHT - 2125mm INNNER DIA- 1400nm OVERALL THICKNESS(TANK) - 6mm TOTAL VOL. 2540 Ltm, USAGE VOL. 2000 Lm, WITH ROLTED TYTE SQUARE MANHOI - 2062 Gr B LEVEL INDICATOR UBULAR PCD: 1400 IR BREATHE TYPE : TOP MOUNTED MODEL : FSR25 FLOW CAPACITY : 0 TO 720 CHROME PLAT (1.6) BODY : CS INTERNAL : SS CARBON STEE FRONT VIEW UICK RELEASE V4" (20NB) FEMALE GATE VALVE BODY CS HIYA CONTROLS PVT FARIDARAD HR REV. DATE DESCRIPTION BUCHIVA PROJECT USTOMER PO PRODUCT CODE PROJECTION SCALE WEIGHT INT. DOC/DR CUST REF. PURCHASER: DRAWING NUMBER : END CUSTOMER REV NO OF SHEE

BASIC OIL SYSTEMS BY BCPL


C

Buchiya Serves need of all type of industries

BASIC OIL SYSTEMS BY BCPL

✤ NAM KUM 4 (2 X 27 MW), VIETNAM

2 3 5 4 6 HOUSING SPECIFICATION SERIAL No. SPECIFICATIONS ITEM MODEL/MOC FLOW: 10 LPM, PR 5 BAR GEAR PUM JOHNSON MODEL: TG-L 2.1 009 RATING : 0.37KW, 400 V AC, 3 PHASE 2.1a MOTOR CROMPTON MODEL GD71 1/2" BSP (M), 10 BAR 2.2 PRESSURE APGC RELIEF MODEL VALVE DPR-S-06 HYDROLINE MODEL: HFE-05-100 100 MICRONS FILTER QUICK RELEASE VALVE STAINLESS STEEL 2.4 3/4" (20NB) MALE NON MODEL : C-10-T-1-03 RETURN 1/2" (15NB) VALVE BALL VALVE 2.6 1/2" (15 NB) LEGRIS PRESSURE Pr. RANGE : 0-10 BAUMER BAR HOSE 2.8 PARKER 1/2" X 3000mm LONG STARTER 2.9 210 X 120 mm SEIMENS 2.10 PIPE & FITTINGS 7.5 BAR TEST STAINLESS PRESSURE STEEL BASE FRAME WITH TROLLEY 2.11 500LX350WX1110H BCPL 350 500 CHIYA CONTROLS PVT. L B REV. CADIDADAD UD DATE DESCRIPTION PH: 0129 - 4300364 PH: 0129 - 6000005 @Picolbys.com BUCHIYA WEIGHT INT. DOC/DRG PROJECTION SCALE CUST. REF PURCHASER END CUSTOME DRAWING NUMBER : HEET NO :



8

QTY.

1

1

1

2


1

1 LOT

1

NO. OF SHEET


Buchiya Serves need of all type of industries



Buchiya Serves need of all type of industries

BASIC OIL SYSTEMS BY BCPL

✤ PAHU (2 X 13 MW), VIETNAM



Sr.No.	ltem	Details
	MOTOR	0.37 KW (0.5 HP)
2	PUMP	FLOW-10 LPM, Pr 5 Bar

Α

B

C

D

